

Product datasheet

Specifications



**Motor mechanism,
110...230VAC@50/60Hz,
110...230VDC**

LV435001

Main

Range	EasyPact
Product name	EasyPact CVS
Product or component type	Motor mechanism
Device short name	motor mechanism module
Product compatibility	EasyPact CVS100...250 circuit-breaker

Complementary

Control type	Local/remote control
Control signal type	Impulse and maintained
Supply voltage [Us]	110...230 V AC 50/60 Hz 110...230 V DC
Mounting mode	Fixed
Response time	<= 350 ms (opening) <= 700 ms (closing)
Maximum operating frequency	<= 3 cycles per minute
Maximum power consumption in VA	150 VA closing 150 VA opening
Electrical durability	25000 cycles 110...230 V AC 50/60 Hz 25000 cycles 110...230 V DC
Provided equipment	Keylock
Locking options description	Transparent cover
IK degree of protection	IK07

Environment

IP degree of protection	IP20
-------------------------	------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	14.000 cm
Package 1 Width	16.000 cm
Package 1 Length	18.000 cm
Package 1 Weight	1.109 kg
Unit Type of Package 2	S04

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Number of Units in Package 2	8
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	9.519 kg
Unit Type of Package 3	P12
Number of Units in Package 3	32
Package 3 Height	105.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	50.076 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant with Exemptions

REACH Regulation

[REACH Declaration](#)

Use Again

Repack and remanufacture

End of life manual availability

[End of Life Information](#)

Take-back

No

WEEE Label

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Technical Illustration

Assembly's dimensions

